ICD-10 Transition: Physician Charges and Discharge Orders September 30, 2015

Important ICD-10 Transition Instructions pertaining to patients admitted PRIOR to October 1st.

Beginning October 1, 2015:

For any problems entered **prior** to 10/1/15, the Consolidated Problems component in documentation workflow will **NOT** show the ICD-10 specificity indicator because all of the existing problems will still be mapped to ICD-9.

- <u>IMPORTANT</u>: While you are not required to convert all problems, there are two scenarios which require you to convert problems from ICD-9 to ICD-10.
 - **<u>Physician Charge Capture</u>** (only providers performing physician charging in Powerchart)
 - o **<u>Discharge Order</u>** (all providers)

(All problems entered prior to 10/1 remain unchanged and are ICD-9. No specificity indicator)

NEW Consolidated Problem:		OssoFication: Hedical and Patient Stated +
have	Classification	Adams
1 * Hypotension	Medical	This Visit Chronic
2 = Atrial fibrillation rapid	Medical	This Visit Chronic
3 · ESRD on Salysis	Medical	This Visit. Chronic
4 * Sleep aprea	Medical	This Visit Ovonic
5 - Non-ischemic cardiomyopathy	Medical	This Visit Orronic
6 = Asthma	Medical	The Visit Ovonic Resolve
7 • Scieredena	Medical	This Visit Chronic
8 = Hyperkalemia	Medical	This Visit Orionic

ALL NEW CODES entered on 10/1/15 and beyond will **automatically** default to **ICD-10** and **will show** the exclamation icon if the code does not meet **ICD-10 specificity**. Clicking on the exclamation point will launch Diagnosis Assistant tool.

(Same problem list entered on a new patient as of 10/1. All problems are now ICD-10 and show the specificity indicator.)

10 Umpeoffed Problem(s)	Add new ac: This Visit +	Q Polikin name		
	Classification	Actions		
1 - (f) Hypotension	Medical	This Visit	Chronic]
2 • 🕐 Atrial Fibrillation, rapid	Medical	This Vist	Chronic]
3 · ESRD on dialysis	Medical	This Visit	Ovenic]
4 * 🕐 Sleep apresi	Medical	This Volt	Chronic]
5 * (f) Kon-Ischemic cardiomyopathy	Medical	This Visit	Chronic]
6 - 🕐 lattima	Medical	This Visit	Chronic	Restre
7 • 🛞 scieroderma	Medical	This Visit	Chronic	Reschue
8 * Hyperkalemia	Medical	This Vait	Chronic	1

ICD-10 Transition: Physician Charges and Discharge Orders September 30, 2015

ICD-9 to ICD-10 Conversion Requirements

Scenario 1: Physican Charge Capture

Providers who perform PowerChart Physican Charge Capture will be required to convert existing ICD-9 Dx to ICD-10 Dx.

Hanje	Advet I Carvad	Dathage Pays Charge	s							
versal [ligame	<i>it</i> •]									
Consultatio	d Prublem	-0	O Cardiology				12 × 1	Correct Vi	alt Ouarges (1)	
	A	Orders for Signature (1)								н
And some one of	The Well									Clear All
-		Order and the assessments and depression in an order. Order a despension teacher is assessment for all and an	(732,06) Superior arthresis of been	(NILI) NSA (nethalis scapting -	LINEAU) Diabetes type 3. uncontrollad	(346.31) Ecosyltategarby	UNIT-12 Hypervaluescia	UPS-U Hypertermeter	Ristand pressure	(rict.)() Pressues care
(Tex Vol 17)		Non Categorized								
(D 1 (E) 2	Septic artistis of kneel MSSA (methallin auropt	99232 Subseq Hosp Vis,Exp Focused- NIP	I	2	1	3		8	9	
0 3	Babetes type 2, second									
0 1	Hyperathema	🗐 Show Diagnosis Table							Sign Save	Hodify Cancel
0 +	Bisteral preumona Pressure sore		Entral Heapter sta Entral Heapter sta	6						

- If selected ICD-9 diagnoses have a one-to-one ICD-10 match, the ICD-10 code will automatically be added and selected.
- If selected ICD-9 diagnoses do not have a one-to-one ICD-10 match, use Diagnosis Assistant to assist you in choosing the appropriate ICD-10 code. (Click on exclamation point to open DA tool)
- The new ICD-10 diagnoses will be added to bottom of the Consolidated Problem list.

▼ Details for 99232 Subseq Hosp Vis,Exp Focused-NIP								
🚰 Details 🗽 Order Comments 🔯 Diagnosis								
Diagnosis (Problem) being Addressed this Visit								
+	+ Add Display: Active							
			Code					
		1	Septic arthritis of knee	M00.9 L89.90				
\checkmark		5	Pressure sore					
		2	MSSA (methicillin suscep	A49.01				
	\odot	6	Hyponatremia	E87.1				
\checkmark		4	Encephalopathy	G93.40				
	\odot	3	Diabetes type 2. uncontro	E11.65				
			Bilateral pneumonia	486				
-								

Conditions Pneumonia, unspecified organism niateral press 712.9 Viral pneumonia, unspecified Septic arthritis of knee Clinical Co... Clinical Subset Te... Anatomy Type Pressure sore - Ling MSSA(methicilin sus Encephalopathy Code Name 2 312.9 Viral pneumonia, unsp

Clicking on the exclamation point next to the Problem will open Diagnosis Assistant. This will guide you through choosing the appropriate ICD-10 code, which will be added to the list.

In this example, the ICD-9 code for Bilateral pneumonia (486) did not have a one-to-one ICD-10 match so the ICD-9 code still displays.



		Ad	bb	Display: Active		-
÷	4			Annotated Display 💌	Code	
Ľ			7	Viral pneumonia, unspeci	J12.9	
٦	\checkmark		1	Septic arthritis of knee	M00.9	
			5	Dressure core	1.80.00	

ICD-10 Transition: Physician Charges and Discharge Orders September 30, 2015

• IMPORTANT: Remove the old ICD-9 diagnoses as these will cause duplicates in your Notes if they remain.

T [Detail	ls fo	r 99	232 Subseq Hosp Vis,Exp	Focused-NIP			
P	Detail	ls] [j o	order Comments 📓 Diagno	osis			
_	Diago	- Nosie	(Prol	blem) being Addressed this Visit -	,			
l fr	Diagn	10515	(110	bienty being Addressed this visit				
	+	Ac	bb	Display: Active	-			
							-	
				Annotated Display	Code 🔺	Clinical Dx	Condition Name	
				MSSA (methicillin suscep	041.11	MSSA (methicillin suscep	MSSA (methicillin suscep.	
				Diabetes type 2, uncontro	250.02	Diabetes type 2, uncontro	Diabetes type 2, uncontro.	[*] Original ICD-9
				Hyponatremia	276.1	Hyponatremia	Hyponatremia	Problems
				Encephalopathy	348.30	Encephalopathy	Encephalopathy	
				Bilateral pneumonia	486	Bilateral pneumonia	Bilateral pneumonia	Important to remove
				Pressure sore	707.00	Pressure sore	Pressure sore	important to remove.
				Septic arthritis of knee	711.06	Septic arthritis of knee	Septic arthritis of knee	
	\checkmark		2	MSSA (methicillin suscep	A49.01	Methicillin susceptible St	MSSA (methicillin suscep.	
	\checkmark	0	3	Diabetes type 2, uncontro	E11.65	Type 2 diabetes mellitus	Diabetes type 2, uncontro	
	\checkmark	0	6	Hyponatremia	E87.1	Hypo-osmolality and hyp	Hyponatremia	New ICD-10 Problems
	\checkmark		4	Encephalopathy	G93.40	Encephalopathy, unspecif	Encephalopathy	
	\checkmark		5	Pressure sore	L89.90	Pressure ulcer of unspecif	Pressure sore	
	\checkmark		1	Septic arthritis of knee	M00.9	Pyogenic arthritis, unspec	Septic arthritis of knee	

To remove original ICD-9 Problems:

Step 1:

Sort by Annotated Display to easily identify the ICD-9 Duplicates.

Step 2:

Remove the old ICD-9 Dx by Right clicking and "Remove Diagnosis".

Diag	nosis	(Prob	olem) being Addresse	d this Visit							
÷	🕂 Add Display: Active 🗸										
			Annotated Display	▼ Code	Clinical Dx	Condition Name					
	0		Septic arthriti	711.00	Septic arthritis of knee	Septic arthritis of knee					
\checkmark		1	Septic arthriti	Add Diagnosis	Pyogenic arthritis, unspec	Septic arthritis of knee					
			Pressure sore	Modify Diagnosis	Pressure sore	Pressure sore					
\checkmark		5	Pressure sore	View Details	Pressure ulcer of unspecif	Pressure sore					
			MSSA (methi		MSSA (methicillin suscep	MSSA (methicillin suscep					
\checkmark		2	MSSA (methi	Remove Diagnosis	Methicillin susceptible St	MSSA (methicillin suscep					
			Hyponatremi	Add Procedure	Hyponatremia	Hyponatremia					
\checkmark	\odot	6	Hyponatremi		Hypo-osmolality and hyp	Hyponatremia					
			Encephalopat	Add to Problem List	Encephalopathy	Encephalopathy					
\checkmark		4	Encephalopat	Convert to Problem	Encephalopathy, unspecif	Encephalopathy					
			Diabetes type		Diabetes type 2, uncontro	Diabetes type 2, uncontro					
\checkmark	\odot	3	Diabetes type	Medline Search	Type 2 diabetes mellitus	Diabetes type 2, uncontro					
			Bilateral pneu	Add to Favorite	Bilateral pneumonia	Bilateral pneumonia					
				Properties							

ICD-10 Transition: Physician Charges and Discharge Orders September 30, 2015

Scenario 2: Discharge Order

All Providers will be required to convert their discharge diagnoses to ICD-10 with their Discharge Order.

Step 1:

Manually select which diagnoses you wish to include as the **discharge diagnoses**.

Step 2:

These will convert to ICD-10 as seen below.

NOTE: If you need to write a note on the patient's chart after placing the discharge order, you may see duplicate problems in your note. If so, you can remove them by following the <u>directions on page 3</u>.

Orders for Signature													
	\$		1	🖳 🕅 Order Name S	Status	Start	Details						
⊿	C5A;	5A1	1; A	Fin#:2901901863 Admit: 06/13	/2015 13:2	25:00 EDT							
⊿	Adm	issio	n										
				Discharge Order (Order	09/29/2015 18:22	Home, self care, 09/29/201	5 18:22					
-	▼ Detaile for Discharge Order												
Ť	Detai	15 10	1 01										
P	Detai	ils 📜	i o	order Comments Diagnosis									
_		1-											
l r	Diagr	nosis	(Prot	olem) being Addressed this Visit									
				A still									
		Ac	bt	Display: Active		•							
						a	a	_					
				Annotated Display 🔺	Code		Clinical Dx	Condition Name					
		9	1	Anemia	D64.9		Anemia, unspecified	Anemia					
		(1)		Anemia	285.9		Anemia, Unspecified	Anemia					
		\odot	2	Aortic stenosis	I35.0		Nonrheumatic aortic (val	Aortic stenosis					
				Aortic stenosis	424.1		Aortic Valve Disorders	Aortic stenosis					
	\checkmark	\odot	3	CAD (coronary artery disease)	I25.10		Atherosclerotic heart dise	CAD (coronary artery dise					
				CAD (coronary artery disease)	414.00		CAD (coronary artery dise	CAD (coronary artery dise					
	\checkmark	۲	4	CHF (congestive heart failure)	150.9		Heart failure, unspecified	CHF (congestive heart fail					
				CHF (congestive heart failure)	428.0		CHF (congestive heart fail	CHF (congestive heart fail					
	\checkmark	٢	5	CRI (chronic renal insufficiency)	N18.9		Chronic kidney disease, u	CRI (chronic renal insuffic					
				CRI (chronic renal insufficiency)	585.9		Chronic Kidney Disease,	CRI (chronic renal insuffic					
	\checkmark		6	GI bleed	K92.2		Gastrointestinal hemorrh	GI bleed					
				GI bleed	578.9		GI bleed	GI bleed					
	\checkmark		7	Gout	M10.9		Gout, unspecified	Gout					
				Gout	274.9		Gout, Unspecified	Gout					
	\checkmark	0	8	Paroxysmal atrial fibrillation	I48.0		Paroxysmal atrial fibrillati	Paroxysmal atrial fibrillati					